Appendix 12: PCDAI Score

Paediatric Crohn's Disease Activity Index: PCDAI

Abdominal pain						
	None	0				
	Mild (brief episodes, not interfering with activities)	5				
Ctoolo	Moderate/severe (frequent or persistent, affecting with activities)	10				
<u>Stools</u>	0-1 liquid stools, no blood	0				
	2-5 liquid or up to 2 semi-formed with small blood	5				
	Gross bleeding, >6 liquid stools or nocturnal diarrhoea	10				
<u>Patient</u>	functioning, general well-being (Recall, 1 week)	0				
	No limitation of activities, well Occasional difficulties in maintaining age appropriate activities,	0 5				
	below par	3				
	Frequent limitation of activities, very poor	10				
<u>EXAMII</u>	<u>NATION</u>					
Weight						
vveigni	Weight gain or voluntary weight loss	0				
	Involuntary weight loss 1-9%	5				
	Weight loss >10%	10				
11.2.1.6						
<u>Height</u>	< 1 channel decrease (or height velocity > -SD)	0				
	> 1<2 channel decrease (or height velocity > -3D)	5				
	> 2 channel decrease (or height velocity < -2SD)	10				
Abdom		•				
	No tenderness, no mass Tenderness, or mass without tenderness	0 5				
	Tenderness, involuntary guarding, definite mass	10				
	renderness, involuntary guarding, definite mass	10				
Peri-red	<u>ctal disease</u>					
	None, asymptomatic tags	0				
	1-2 indolent fistula, scant drainage, tenderness of abscess	5				
	Active fistula, drainage, tenderness or abscess	10				
Extra-intestinal manifestations						
Fever > 38.5 x 3 days in week, arthritis, uveitis, erythema nodosum, or pyoderma gangrenosum						
	None	0				
	One	5				
	Two	10				
	ATODY					

LABORATORY

Hct (%)

< 10yrs	11-14 (male)	11-19 (female)	<u>15-19 (male)</u>	
> 33	> 35	> 34	> 37	0
28-33	30-34	29-33	32-36	2.5
< 28	< 30	< 29	< 32	5

ESR (mm/hr)		Albumin (g/L)	
< 20	0	> 35	0
20-50	2.5	31-34	5
> 50	5	< 30	10

TOTAL =

Revised: March 2014 Review: March 2016